


SAE FLARE

The "C" after 1/4" indicates that the connection is suitable to fit the access valve.


SAE FLARE UNIONS

Code	Model	Description	exag.	L mm	ØB1	ØB2	Weight	Min. Qty
05102003	3BA	Valve body	11	35	1/4"	1/4"C	22 g	500
05102030	512 3BA	Valve complete with core and cap	11	35	1/4"	1/4"C	22 g	500
05108026001	512 3BAK	Kit of 10 pcs. Valve complete with core and cap	11	35	1/4"	1/4"C	220 g	10



SAE FLARE X NPT UNIONS

Code	Model	Description	exag.	L mm	ØB	ØC	Weight	Min. Qty
05102004	2BA	Valve body	11	27	1/4"C	1/8"	20 g	500
05102029	512 2BA	Valve complete with core and cap	11	27	1/4"C	1/8"	20 g	500
05108025001	512 2BAK	Kit of 10 pcs. Valve complete with core and cap	11	27	1/4"C	1/8"	200 g	10
05102075	24F5BA	Valve body	14	27	5/16"C	1/8"	20 g	500
05108108001	512 24F5BAK	Kit of 10 pcs. Valve complete with core and cap	14	27	5/16"C	1/8"	200 g	10




SAE FLARE X O.D.S. UNIONS

Ref	Code	Model	Description	exag.	L mm	ØB	ØC-ØD-ØE mm	Weight	Min. Qty
A	05102001	1BA/6,2	Valve body	11	26	1/4"C	6,2	12 g	500
A	05102002	1BA/6,4	Valve body	11	26	1/4"C	6,4 1/4"	12 g	500
B	05102005	4BA	Valve body	11	29	1/4"C	6,2-8-10	12 g	500
B	05102070	5BA	Valve body	11	29	5/16"C	6,2-8-10	13 g	500
A	05102028	512 1BA/6,2	Valve complete with core and cap	11	30.5	1/4"C	6,2	12 g	500
A	05108023001	512 1BA/6,2K	Kit of 10 pcs. Valve complete with core and cap	11	26	1/4"C	6,2	120 g	10
A	05102033	512 1BA/6,4	Valve complete with core and cap	11	26	1/4"C	6,4 1/4"	12 g	500
A	05108024001	512 1BA/6,4K	Kit of 10 pcs. Valve complete with core and cap	11	26	1/4"C	6,4 1/4"	120 g	10
B	05102031	512 4BA	Valve complete with core and cap	11	29	1/4"C	6,2-8-10	13 g	500
B	05108027001	512 4BAK	Kit of 10 pcs. Valve complete with core and cap	11	29	1/4"C	6,2-8-10	130 g	10
B	05102071	512 5BA	Valve complete with core and cap	14	30.5	5/16"C	6,2-8-10	13 g	500
B	05108089001	512 5BAK	Kit of 10 pcs. Valve complete with core and cap	14	30.5	5/16"C	6,2-8-10	130 g	10



SAE FLARE UNIONS WITH COPPER TUBE


Code	Model	Description	exag.	L mm	ØB	ØC	Weight	Min. Qty
05102006	50BA	Valve body	11	77	1/4"C	6	29 g	500
05102007	100BA	Valve body	11	126	1/4"C	6	29 g	500
05102025	512/50	Valve complete with core and cap	11	77	1/4"C	6	29 g	500
05108028001	512/50K	Kit of 10 pcs. Valve complete with core and cap	11	77	1/4"C	6	290 g	10
05102023	512/100	Valve complete with core and cap	11	126	1/4"C	6	29 g	500
05108029001	512/100K	Kit of 10 pcs. Valve complete with core and cap	11	126	1/4"C	6	290 g	10


INTERNAL CORE

Code	Model	Description	Min. Qty
14023003	M1/4"-R22/B	Internal core for R22	500
05108040001	M1/4"-R22/BK	Kit 10 pcs. Internal core for R22	10
14023002	M1/4"-R134A/V-R	Internal core for HFC (R134a-R410A, R32...)	500
05108043001	M1/4"-R134A/V-RK	Kit 10 pcs. Internal core for HFC (R134a-R410A, R32...)	10
14023023	M1/4"-R290/V	Internal core for HC R290 R600 1/4"	500
05108110001	M1/4"-R290/VK-WIG	Kit 10 pcs. Internal core for HC R290 R600 1/4"	10


CAP

Ref	Code	Model	Description	Min. Qty
A	05063001	CP1/4"	1/4" flare cap with gasket	500
	05108044001	CP1/4"K	Kit 10 pcs. Caps with gasket	10
A	05063042	CP5/16"	5/16" flare cap with gasket	100
	05108105001	CP5/16"K	Kit 10 pcs caps with gasket	10
B	05063053	CP1/4"-CTV	1/4" flare cap with gasket with wrench	50


COPPER BONNETS FOR SAE FLARE CONNECTIONS

Code	Model	Flare	Weight gr x 100 pc	Min. Qty
05063024	B1-4	1/4"	41	100
05063025	B1-5	5/16"	56	100
05063026	B1-6	3/8"	91	100
05063027	B1-8	1/2"	140	100
05063028	B1-10	5/8"	186	100
05063029	B1-12	3/4"	443	100



TEES

The "C" after 1/4" indicates that the connection is suitable to fit the access valve.
The "N" after 1/4" indicates the presence of the nut.


CONICAL COPPER GASKETS FOR SAE FLARE CONNECTIONS

Code	Model	Flare	Weight g x 100 pc	Min. Qty
14020035	B2-4	1/4"	27	100
14020043	B2-5	5/16"	30	100
14020036	B2-6	3/8"	50	100
14020044	B2-8	1/2"	66	100
14020045	B2-10	5/8"	85	100
14020046	B2-12	3/4"	182	100



SAE FLARE CAPILLARY ADAPTORS WITHOUT DEPRESSOR

Code	Model	ØA mm	ØD mm	L mm	Weight
06052001	87A	60	1/4"	1000	85 g
06052002	87B	60	1/4"	500	65 g




TEES

Code	Model	L mm	1 NTP	2 flare	3 flare	Weight	Min. Qty
05059008	889/02	45	1/8"	1/4"C	1/4"C	25 g	100
05108112001	889/02K	45	1/8"	1/4"C	1/4"C	250 g	10

Code	Model	L mm	1 flare	2 flare	3 flare	Weight	Min. Qty
05057061	890/02	45	1/4"C	1/4"C	1/4"	25 g	100
05108113001	890/02K	45	1/4"C	1/4"C	1/4"	250 g	10

Code	Model	L mm	1 flare	2 flare	Weight	Min. Qty
05057001	892/02	40	1/4"C	1/4"C	20 g	100

Code	Model	L mm	1 flare	2 flare	Weight	Min. Qty
05057034	T6-4C/01	46	1/4"C	1/4"C	37 g	100
05108114001	T6-4C/01K	46	1/4"C	1/4"C	370 g	10



TEES WITH SWIVEL NUT

Code	Model	L mm	1 flare	2 flare	3 flare	Weight	Min. Qty
05057029	891/02	52	1/4"N	1/4"C	1/4"C	47 g	100
05108115001	891/02K	52	1/4"N	1/4"C	1/4"C	470 g	10

